


FIG. 1

10.22.00 93747560



UserName

Password

GO

FIG. 2



PLEASE SELECT THE FIBER QUALITY DATA PRODUCTS
THAT ARE IMPORTANT FOR YOUR PRODUCT AND PROCESS

Fiber Properties	select
mic	<input checked="" type="checkbox"/>
length	<input checked="" type="checkbox"/>
LengthUnif	<input type="checkbox"/>
sfc	<input checked="" type="checkbox"/>
strength	<input type="checkbox"/>
elongation	<input type="checkbox"/>
ColorGrade	<input checked="" type="checkbox"/>
rd	<input type="checkbox"/>
b	<input type="checkbox"/>
LeafCall	<input checked="" type="checkbox"/>
area	<input type="checkbox"/>
MoistureContent	<input type="checkbox"/>
m_neps	<input type="checkbox"/>
scf	<input type="checkbox"/>
maturity	<input type="checkbox"/>
fineness	<input type="checkbox"/>
stickiness	<input type="checkbox"/>

FIG. 3



PLEASE DEFINE THE RANGE OF FIBER QUALITY MEASUREMENTS
IMPORTANT TO YOUR PRODUCT AND PROCESS

fieldname	Range	from	to
mic	(2,8)	3	4
length	(0.9,1.5)	32	34
sfc	(1,10)	7	9
ColorGrade	(11,85)	21	51
LeafCall	(1,7)	2	4



FIG. 4

09/11/15 10:20:01



#	PBI	mic	length	sfc	ColorGrade	LeafCall
1	36028	3.9	32	8.0%	41	2.6
2	2764	3.8	32	8.5%	41	2.8
3	22300	3.8	32	8.3%	41	3.1

Top ← Prev Next → Bottom Row+ Row- Grid+ Grid- Filter Download Reload

[1 - 3 : 3] Color=4


(Click on any column title to sort)

Contact *Schaffner Technologies, Inc.*

email: kshofner@aol.com

FIG. 5

10/22/06 10:22:01



06944300304

02/22/2000 *644 John Doe



303330016960

My G n Co. Inc. Rt 1234 My G n City, My State

Grade	21	L Grade	3	Mc	41	UHM	113	Str	34.4	Neps/gram	253
Rd	78.9	%Area	0.16	Mat	0.91	LU	84.2	Elo	7.2	Nap Szs	701
+b	9.3	%>100	42	IFF	14	Staple	36	VM	504	SCF	11
a	1.3	%>200	16	Fin	155	SFC	12	MC	7.6	Stk/g	0

FIG. 7



UserName
Password

FIG. 2